CATALOG

VOL 28





3 Key Considerations for Veterinary Equipment Purchasing



Budget – Allocate approximately 10-15% of your total build out toward equipment.

- Gather equipment prices from your preferred manufacturers before you start your floor plan
 - This allows you to have the equipment you want. If you don't tell your architect your choice up front you may not get it if the money was allocated elsewhere.
 - Shipping Costs. It's not fun to pay for shipping because it's hard to see the value, but having equipment arrive well packaged and undamaged is well worth the money.



Timing – Verify the average manufacturing lead time prior to your build so you know when to order equipment.

- Ex: Veterinary Specific Trench Drains need to be set when the concrete is poured, and slope in your kennel areas may need to be addressed prior to selecting your equipment.
- You don't want to miss your certificate of occupancy inspection because your equipment didn't arrive in time (time is money).



Return On Investment – 4 things to consider: Longevity, Functionality, Price & Customer Service. In that order.

Here's why:

- Longevity: If you buy equipment designed to last for 20+ years with little to no maintenance your equipment starts making you money once you've recouped the initial purchase. Then each dental or overnight stay in your luxury suites becomes profit. If you buy equipment that is not properly designed and constructed then you will have to spend your time and money repairing or replacing within a few years.
- Functionality: Does the equipment perform or just exist? Think push mower vs. a self-propelled. They both get the job done but one does the work in half the time. (time is money) Look for items that save you and your staff time. (Hydraulic/electric tables & tubs, pass thru dental shelves and drawers that allow access to both sides of the table. Pull out pans for quick re-stocking, rounded corners for fast/easy cleaning).
- **Price**: How equipment is constructed affects the price. For example, fully welding a seam costs more than silicone, but which would you rather have? Ask not only *what* a product is made of but *how* it is constructed.
- **Customer Service** Customer service is usually important if your equipment is going to require a lot of servicing. Once you have:
 - Asked all the pertinent questions
 - Looked at the equipment in person; tradeshow/toured manufacturing plant
 - Asked for references from their 3 most recent clients whose purchase resembles yours, you're likely not going to require a lot of customer service.

TREATMENT	4
Wood Grain, Wet (Water-Flo, Non Water-Flo), Drop In Tub, Dry	
SINKS	13
Scrub, Fecal, Kennel Prep	
TABLES	16
Wall Mount, Exam, Transport/Lift, Surgery, Utility & Mobile, Grooming	
CABINETS/CASEWORK Medical, Upper, Lower	21
WORK ISLANDS	27
	20
GROOMING TUBS Tubs, Grates	32
KENNELS	36
Doors, Bowl Feeders, Side Panels, Back Panels, Guillotine, Raised, Accessories	
CAT CONDOS	43
Powder Coated, Stainless Steel, Modular, Luxury Cat Runs	
CAGES	48
Recovery, Isolation, Parvo	
FAUCETS & SCALES	53
CORNER GUARDS &	
CORNER GUARDS & KICK PLATES	58



Everything looks great, is of high quality, and fits perfectly in each space it was intended for. You should be proud of what you do and the service you provide; we will recommend TriStar to all our referring hospitals whenever they need equipment like ours. Again, sincere thanks.

- Christopher Kovach, CVT



Design an area that fits your needs.

When customizing your treatment and surgical areas, remember:

- TriStar has the ability to design and modify our products to meet your specifications.
- Ergonomics, configuration, placement and accessories can make your clinic much more efficient and user-friendly.
- Work areas should be comfortable and organized with work surfaces at appropriate heights for your staff.

WOOD GRAIN

Our latest innovation is an all metal treatment cabinet that is powder coated to look like natural wood. Unlike wood laminate, it's an ideal product for treatment and surgery rooms where non-porous, very durable equipment is needed.



It's all the warmth of WOOD and all the benefits of METAL.

It's built to stand the test of time. It's a game changer.

It's the TriStar Difference.



Finish looks identical to wood grain.



Pass-thru cabinet allows access to equipment from both sides.



Pass thru drawers with removable pans, ideal for storing instruments that are utilized in more than one area. Drawer pans can be quickly cleaned, sanitized and put back into place.



WATER-FLO

Water-Flo with Dental Shelf & Pass-Thru Drawer System



U.S. Patent #6,279,510

Clinics specializing in dentistry and their technicians have been raving about the Pass-Thru Dental Shelf & Drawer System. No longer do you have to store your dental equipment on a shelf or in a drawer. In addition, this pass-thru shelf eliminates the hassle of finding a place to store equipment, tangled wires, and most of all, cut or broken cords due to slamming them in doors and drawers. Electrical outlets and water lines are concealed inside cabinetry. Your dental machine is literally at your finger tips and ready to use. Drawers & dental shelf pull out from both sides.




- · Cabinet constructed of 18 gauge type 304 stainless steel
- · Radius knee space
- Recessed toe space
- · Drawers pass-thru to both sides
- Removable 20" L x 12" W x 4" H stainless drawer pans
- · Lift off hinges allow doors to be removed for routine cleaning
- Recessed grate guide creates an even work surface
- Stainless steel grate included
- Available in custom sizes


#100-30DP-PT 60 1/2" 2 door, 2 drawer, dental shelf, 1 dual GFI plug #100-35DP-PT 48" 2 door, 2 drawer, dental shelf, 1 dual GFI plug

#100-30PT 60 1/2" 2 door, 3 drawer #100-35PT 48" 2 door, 3 drawer









- 16 gauge tub slopes from 3" D to 4" D at drain to provide positive drainage
- Radius knee space (right and left hand units available)
- Three 20" L x 12" W x 4" H removable stainless drawer pans
- · Lift off hinges allow doors to be removed for routine cleaning
- Recessed toe space
- · Stainless steel grate included
- Available in custom sizes



#100-30 60 1/2" RIGHT knee space #100-40 60 1/2" LEFT knee space #100-35 48" RIGHT knee space #100-45 48" LEFT knee space

WET

WATER-FLO



Two Door Cabinet with Water-Flo System

- Cabinet constructed of 18 gauge type 304 stainless steel
- 16 gauge tub slopes from 3" D to 4" D at drain to provide positive drainage
- · Radius knee space (right and left hand units available)
- Two door access to storage and plumbing
- Lift off hinges allow doors to be removed for routine cleaning
- Recessed toe space
- Stainless steel grate included
- · Available in custom sizes

#100-70 60 1/2" RIGHT knee space #100-80 60 1/2" LEFT knee space

#100-75 48" RIGHT knee space #100-85 48" LEFT knee space



Open Center Knee Space Cabinet with Water-Flo System

- · Cabinet constructed of 18 gauge type 304 stainless steel
- 16 gauge tub slopes from 3" D to 4" D at drain to provide positive drainage
- Three 20" L x 12" W x 4" H removable stainless drawer pans
- · Lift off hinges allow doors to be removed for routine cleaning
- Recessed toe space
- · Stainless steel grate included
- Available in custom sizes

#100-88RP 60" 1 door/3 drawer, Water-Flo system with RIGHT side plumbing #100-88LP 60" 1 door/3 drawer, Water-Flo system with LEFT side plumbing #100-88PT 60" 2 door/3 drawer pass-thru package & Water-Flo top



Open Center Knee with Added Knee Space & Water-Flo System

- Cabinet constructed of 18 gauge type 304 stainless steel
- 16 gauge tub slopes from 3" D to 4" D at drain to provide positive drainage
- Radius knee space (right and left hand units available)
- Three 20" L x 12" W x 4" H removable stainless drawer pans
- · Lift off hinges allow doors to be removed for routine cleaning
- Recessed toe space
- · Stainless steel grate included
- · Available in custom sizes

#100-88RKS 60" 1 door/3 drawer, Water-Flo system with added RIGHT knee space #100-88LKS 60" 1 Door/3 drawer, Water-Flo system with added LEFT knee space #100-88PT-KS 60" 2 Door/3 drawer pass-thru package & Water-Flo system with added knee space



NON WATER-FLO



One Door/Three Drawer Cabinet with Sloping Tub

- · Cabinet constructed of 18 gauge type 304 stainless steel
- 16 gauge tub slopes from 3" D to 4" D at drain to provide positive drainage
- Radius knee space (right and left hand units available)
- Three 20" L x 12" W x 4" H removable stainless drawer pans.
- · Lift off hinges allow doors to be removed for routine cleaning
- Recessed toe space
- · Stainless steel grate included
- · Available in custom sizes

#100-10 60 1/2" RIGHT knee space #100-15 48" RIGHT knee space #100-20 60 1/2" LEFT knee space #100-25 48" LEFT knee space



Two Door Cabinet with Sloping Tub

- · Cabinet constructed of 18 gauge type 304 stainless steel
- 16 gauge Tub slopes from 3" D to 4" D at drain to provide positive drainage
- · Radius knee space (right and left hand units available)
- · Two door access to storage and plumbing
- Lift off hinges allow doors to be removed for routine cleaning
- Recessed toe space
- · Stainless steel grate included
- Available in custom sizes

#100-50 60 1/2" RIGHT knee space #100-60 60 1/2"LEFT knee space #100-55 48" RIGHT knee space #100-65 48" LEFT knee space



Open Center Knee Space Cabinet with Sloping Tub

- Cabinet constructed of 18 gauge type 304 stainless steel
- 16 gauge tub slopes from 3" D to 4" D at drain to provide positive drainage
- Three 20" L x 12" W x 4" H removable stainless drawer pans
- · Lift off hinges allow doors to be removed for routine cleaning
- · Recessed toe space
- · Stainless steel grate included
- Available in custom sizes

#100-89RP 60 1/2" 1 door/ 3 drawer RIGHT side plumbing #100-89LP 60 1/2" 1 door/ 3 drawer LEFT side plumbing #100-89PT 60 1/2" 2 door/ 3 drawer sloping top with pass-thru package

WET

NON WATER-FLO



#100-10PT Shown with optional faucet



Open Center & Added Knee Space Cabinet with Sloping Top

- · Cabinet constructed of 18 gauge type 304 stainless steel
- 16 gauge tub slopes from 3" D to 4" D at drain to provide positive drainage
- Radius knee space (right and left hand units available)
- Three 20" L x 12" W x 4" H removable stainless drawer pans
- · Lift off hinges allow doors to be removed for routine cleaning
- Recessed toe space
- · Stainless steel grate included
- · Available in custom sizes

#100-89RKS 60 1/2" with ADDED RIGHT knee space #100-89LKS 60 1/2" with ADDED LEFT knee space #100-89PT-KS 60 1/2" 2 door/3 drawer pass-thru package, sloping top with added knee space

Two Door / 3 Drawer Pass-Thru Cabinet with Sloping Tub

- · Cabinet constructed of 18 gauge type 304 stainless steel
- 16 gauge tub slopes from 3" D to 4" D at drain to provide positive drainage
- Radius knee space (right and left hand units available)
- Three 20" L x 12" W x 4" H removable stainless drawer pans
- · Lift off hinges allow doors to be removed for routine cleaning
- Recessed toe space
- · Stainless steel grate included
- Available in custom sizes

#100-10PT 60 1/2" pass-thru 2 door/3 drawer, sloping top #100-15PT 48" pass-thru 2 door/3 drawer, sloping top #100-10DP-PT 60 1/2" pass-thru 2 door/2 drawer, shelf, outlet, sloping top #100-15DP-PT 48" pass-thru 2 door/3 drawer, shelf, outlet, sloping top

17" Deep Split-Level Tub

- Constructed of heavy 16 gauge type 304 stainless steel
- Recessed grate guides allow for an even and solid work surface
- 17" W x 29" L stainless steel under shelf
- 21 1/2" L x 20" W x 4" D shallow knee space
- 32" L x 20" W x 17" D deep tub space
- · Available in custom sizes

#100-90 60 1/2" L x 24 3/4" W x 36" H

16" Deep Tub

- · Constructed of 16 gauge type 304 stainless steel
- Recessed grate guides allow your grate to set flush with top to provide an even and solid work surface
- 16 1/2" W x 32 1/4" L stainless steel under shelf
- Available in custom sizes

#100-91 60 1/2" L x 24 3/4" W x 36" H

DROP IN

Standard Sloping Drop-In Tubs

- Constructed of 16 gauge type 304 stainless steel
- Tub slopes from 3" D to 4" D at drain to provide positive drainage
- · Recessed grate guide allows grate to set flush with the top to provide an even and solid work surface
- 3/4" radius corners allow for a guick and easy clean-up
- Stainless steel grate included
- Available in custom sizes

#300-00 60 1/2" L x 24 3/4" W x 3" to 4" D sloping top #300-05 48" L x 24 3/4" W x 3" to 4" D sloping top



#300-00

Water-Flo System Drop-In Tubs Visit our website to see video



- Constructed of 16 gauge type 304 stainless steel
- Tub slopes from 3" D to 4" D at drain to provide positive drainage
- Recessed grate guide allows grate to set flush with the top to provide an even and solid work surface
- · Stainless steel grate included
- · Available in custom sizes

#300-10 60 1/2" L x 24 3/4" W x 4" D Water-Flo Top #300-15 48" L x 24 3/4" W x 4" D Water-Flo Top



U.S. Patent #6,279,510 #300-10

17" Deep Split-Level Drop-In Tub

- Constructed of 16 gauge type 304 stainless steel
- Recessed grate guide allows grate to set flush with the top to provide an even and solid work surface
- Stainless steel grate included
- · Available in custom sizes

#300-20 60 1/2" L x 24 3/4" W x 17" split level tub

#300-20



#300-30

16" Deep Drop-In Tub

- Constructed of 16 gauge type 304 stainless steel
- · Recessed grate guide allows grate to set flush with the top to provide an even and solid work surface
- 3/4" radius covers allow for quick and easy clean-up
- Stainless steel grate included
- Available in custom sizes

#300-30 60 1/2" L x 24 3/4" W x 16" D

CUSTOM 300-00



Shown here with extended back/side splashes for added wall protection.



Can't find a replacement top for your current cabinetry? Can't find that ideal tub insert? Look no further! Pick up the phone and call one of our experienced design team members.

DROP IN TU





Grate Inclinator

The TriStar Grate Inclinator is a simple but very useful device. Constructed of solid 1/2" stainless steel bar, the inclinator will have no problem supporting heavy animals. To use, lift grate and place inclinator on the recessed grate guide of the tub. To adjust grate angle, move the inclinator forward or backward. When inclinator is not needed, there is no need to find a place to store it. Flip inclinator over and it is out of the way.

#100-GI Grate Inclinator



#100-48GRT

#100-GI

Stainless Steel Grate Inserts

• 304 type stainless steel grate for TriStar's Wet Prep Tables

#100-48GRT for 48" Tub Insert #100-60GRT for 60" Tub Insert



#400-50

Removable Exam Tops

- · Constructed of 18 gauge type 304 stainless steel
- Available in custom sizes

#400-50 47" L x 21 3/8" W (for 60" table) #400-51 35" L x 21 3/8" W (for 48" table)





#400-00

Six Drawer Exam Cabinet

- All stainless, heavy duty 18 gauge construction provides for long-lasting durability
- Overall dimensions: 60 1/2" L x 24 3/4" W x 36" H
- · Pullout drawer pans remove easily for re-stocking & cleaning
- Available in custom sizes

#400-00 60 1/2" Exam Cabinet with RIGHT knee space #400-01 60 1/2" Exam Cabinet with LEFT knee space #400-04 48" Exam Cabinet with RIGHT knee space #400-05 48" Exam Cabinet with LEFT knee space

One Door, 3 Drawer Exam Cabinet

- All stainless, heavy duty 18 gauge construction provides for long-lasting durability
- Overall dimensions: 60 1/2" L x 24 3/4" W x 36" H
- Pullout drawer pans remove easily for re-stocking & cleaning
- · Available in custom sizes

#400-02 60 1/2" Exam Cabinet with RIGHT knee space #400-06 48" Exam Cabinet with RIGHT knee space #400-03 60 1/2" Exam Cabinet with LEFT knee space #400-07 48" Exam Cabinet with LEFT knee space #400-02PT 60 1/2" Exam Cabinet with pass-thru drawer system #400-06PT 48" Exam Cabinet with pass-thru drawer system



#400-00PT Added pass-thru drawer system

Six Drawer Exam Cabinet with Pass-Thru Drawer System

 The pass-thru drawer system with removable pans allows drawers to pass through from one side to the other, giving versatility to your floor plan

#400-00PT 60 1/2" Exam Cabinet with pass-thru drawer system #400-04PT 48" Exam Cabinet with pass-thru drawer system



Visit our website to see video



We are building a new clinic and have had to work with many suppliers. Your service has been head and shoulders above the others. I wish all companies operated at your level.

- Dr. Eric Stone

Sinks With Form And Function.

From a simple scrub sink to a complex lab area, you'll find exactly what you're looking for with TriStar. When comparing sinks keep these details in mind:

- Our ability to customize helps you create a space that fits your needs
- Rounded interior corners allows for quick and easy clean-up
- Unique designs like our Fecal Station make it easier for you to practice medicine



SCRUB



Single Surgeon Scrub Sink

- 23 1/2" L x 28" W x 16 1/2" H including the back splash
- 3/4" radius corners, approved by the National Sanitation Foundation allow for a quick and easy cleanup
- · Constructed of 16 gauge type 304 stainless steel
- · Stainless steel wall mounting bracket included
- Counter drop-in scrub sinks also available
- Available in custom sizes
- · Faucet sold separately

#300-35 Scrub Sink



Double Surgeon Scrub Sink

- 23 1/2" L x 48" W x 16 1/2" H including the back splash
- 3/4" radius corners, approved by the National Sanitation Foundation allow for a quick and easy clean-up
- · Constructed of 16 gauge type 304 stainless steel
- · Stainless steel wall mounting bracket included
- Available in custom sizes
- · Faucet sold separately

#300-55 Double Sink



Surgeon Scrub Sink with Counter Top

- Sink dimensions: 24" W x 18" front to back
- 24 1/2" front to back with 6" H back splash
- 3/4" radius corners in sink allow for quick and easy clean-up
- Constructed of 16 gauge type 304 stainless steel
- · Stainless steel wall mounting bracket included
- Fluid retaining edge contains spills
- Available in custom sizes
- · Faucet sold separately

#300-75 Surgeon Scrub Sink with Counter Top 48" #300-76 Surgeon Scrub Sink with Counter Top 36"



LIMITED ON SPACE?

NEED A MULTI-USE WORK STATION?

Let us help you design the perfect sink for you and your staff.



FECAL & KENNEL PREP



#300-80 Shown with optional faucet

#500-20



Shown with optional faucet

Fecal Station

- 33" x 21 1/2" overall
- 15" L x 15" W x 9 1/2" D Clean sink
- 6" L x 15" W x 5" D Fecal sink with 6" L x 15" W drain board
- Constructed of 16 gauge type 304 stainless steel
- Faucet sold separately
- Available in custom sizes

#300-80 Fecal Station with RIGHT Drain Board #300-81 Fecal Station with LEFT Drain Board

Fecal Sink

- 24 7/8" L x 22 5/8" W overall
- 17 1/2" L x 11 5/8" W x 5" D Fecal sink with 10 13/16" L x 17 1/2" W drain board
- Constructed of 16 gauge type 304 stainless steel
- Faucet sold separately
- Available in custom sizes

#300-90 Fecal Sink with RIGHT Drain Board #300-91 Fecal Sink with LEFT Drain Board

Kennel Prep Area Table

- 72" L x 28" W x 36" H overall
- · 4" back splash protects wall from water damage
- 20" L x 18" W x 10" D sink (specify sink placement when ordering)
- 48" L x 24" W Under shelf with 1" back splash
- Constructed of 16 gauge type 304 stainless steel
- · Raised marine edge contains spills on table top surface
- · Will stand up to water exposure
- · Available in custom sizes

#500-20 72" L x 28" W x 36" H with sink and under shelf



High praise from a man used to seeing the good and bad in construction, for your dental tub and spiffy lift tables.

Thanks again for being awesome.

- Dr. Magnussson

Maximize the efficiency of your treatment and surgical areas with versatile tables.



A work area this vital and heavily used deserves careful consideration and planning. Input from all staff members is highly recommended. Our tables offer features and options designed with you in mind. Our patented Water-Flo table and pass-thru drawer system are evidence that we think outside the box of traditional design. Important considerations for surgical and treatment tables:

- Wall mount tables that allow you to get up close and personal access to your patients.
- Transport/Lift tables that can smoothly lift and support large dogs with safety features such as restraint rails to protect staff members.
- Patented surgery tables with features that save you time, in turn making your staff more efficient and productive.





#400-20



#400-23





Wall Mount Exam Tables

- 22" x 44" Exam top 18 gauge stainless steel
- · Raised marine edge contains spills on work surface
- 3" back splash protects wall from water damage
- · Available with pass-thru drawer
- · Available in custom sizes

#400-20 Wall Mount Exam Table
#400-21 Wall Mount Exam Table with Pass-Thru Drawer

Wall Mount Folding Exam Table

- · Folds up to store & down to use
- · Exam top constructed of 18 gauge stainless steel
- · Raised marine edge contains spills on work surface
- · Available in custom sizes

#400-23: 20" x 45" End mount - fold up to store & down to use

Wall Mount Folding Exam Table

- •Folds up to use & folds down to store
- •Exam top 18 gauge stainless steel
- •Raised marine edge contains spills on work surface
- Available in custom sizes

#400-24 20" x 35" Side mount - folds down to store & up to use

Wall Mount Fold Up Exam Table

- · Folds down to store & folds up to use
- 35" L x 20" W Exam top 18 gauge stainless steel
- · Raised marine edge contains spills on work surface
- 1" back splash protects wall from water damage
- Available in custom sizes

#400-25 Wall Mount Fold Up Exam Table

TRANSPORT/LIFT & SURGERY



Electric Mobile Lift Table

The TriStar Mobile Lift Table has been designed for effortless transport.

- All welded 16 gauge stainless steel tubing and heavy gauge stainless provides stable base for transport
- · Double scissor construction provides durability and maximum stability
- Hand held remote lowers to 11 1/2" & elevates to 36" at its highest position
- Fully locking swivel non-marking casters for stationary use
- Fluid Retaining edge is designed to contain spills
- Lifts up to 225 pounds
- Rechargeable battery
- Restraint rail for added safety

#MT-50SL 50" L x 24" W #MT-58SL 58" L x 24" W



Electric V-Top Surgery Table

Our electric surgery tables are packed with features and available in custom sizes.

- · Adjustable V-top
- Tilt top design with locking capability is easy to operate
- · Fluid collecting trough system
- Top constructed of 16 gauge type 304 stainless steel
- · Side restraint system with cam cleat tie-downs
- Available in custom sizes
- Raises from 29" to 44"

#658E-VT 58" L x 24" W V-top surgery table



Electric Flat-Top Surgery Table

- · Tilt top design with locking capability is easy to operate
- · Fluid collecting trough system
- Top constructed of 16 gauge type 304 stainless steel
- · Side restraint system with cam cleat tie-downs
- Available in custom sizes
- Raises from 29" to 44"

#658E-FT 58" L x 24" W Flat-top surgery table

Utility Prep Table with 2 Drawers & Under Shelf

- 22" W x 43.5" L with exam surface at a working height of 36"
- · All stainless 16 gauge construction for long lasting performance
- · Fully welded under shelf for maximum durability
- · Drawers pass-thru to either side to provide versatility
- · Available with or with out heavy duty casters
- · Available in custom sizes

#400-30 Exam Table #400-31 Mobile Exam Table





#400-30

Utility Prep Table with 2 Drawers & 2 Under Shelves

- 22" W x 43.5" L with exam surface at a working height of 36"
- · All stainless 16 gauge construction for long lasting performance
- · 2 under shelves
- · Drawers pass-thru to either side
- · Available with or with out heavy duty casters
- · Available in custom sizes

#400-40 Exam Table #400-41 Mobile Exam Table



Transport Table

- · Table top is constructed of 16 gauge type 304 stainless steel
- · Fully welded 16 gauge stainless steel tubing frame for maximum durability
- 44" L x 22" W table top with 36" H working height
- · Stable base for safe transport
- · Locking casters for stationary use
- · Adjustable tie-down cleats provide for safe restraint
- Optional two-hook IV pole
- · Available in custom sizes

#400-55 44"L x 22" W



Stationary & Mobile Treatment Tables

This is a great item for those on a limited budget or limited on space. This table can be moved from one room to another.

- Standard sloping top with pail hook for bucket
- Available in custom sizes

#100-95 60 1/2" L x 24 3/4" W x 4" Deep (stationary) #100-96 60 1/2" L x 24 3/4" W x 4" Deep (mobile)

GROOMING



#GT-110

#D900



Electric Lowboy Grooming Table

- Adjustable height: 6" to 42"
- · Table can be either mobile or stationary
- Super heavy duty enclosed electric jackscrew
- Foot switch for hands free operation
- Large 24" x 42" top
- Recommended load capacity of 250 pounds
- · Optional Bellows cover

INCLUDES: Post, Clamp & Top

#GT-110 (Top: 24" x 42") x 6"-42"H

Pet Drying Table

- · Shown with optional dryer
- · Features power cord hanger to keep cord tucked out of the way
- · Dryer Hose Hanger for easy storage
- · Leash rail and 2 D-rings for multifple restraint locations
- · All stainless construcitno ensures long-term durability
- · available in custom sizes

Optional: Dryer

D900 43"W x 60"H x 25"D



We loved the cabinets that we purchased at the beginning of the year so much that we decided to do all the cabinets in our treatment room with your products. Great products and great service! Thank you.

Janet Culp

A long-lasting option.

Choose casework designed & constructed specifically for your medical environment.

Keeping it simple is key. Select cabinets that are customizable to allow you and your staff the ability to get just what you want. When selecting cabinetry, keep the following in mind:

- Steel cabinets are a long-lasting option. They're very durable unlike laminate or wood and are very easy to install.
- Our Wood grain treatment allows you to invest wisely in metal and get the look and warmth of real wood.
- Stainless cabinets with glass fronts help your staff quickly locate necessary items.



CABINETS

You can design your procedure room around your specialty and keep your attention on what is most important, the patient. By choosing TriStar casework you can rest assured that you have invested in cabinets designed & constructed specifically for your medical environment. Keeping it simple is the key. The unique design of this product allows doctors and staff to quickly customize their office space to suit their needs. Our sales people and engineers can help with options such as locking cabinets and pass-thru windows or the all new, all metal wood grain cabinet.





This cabinetry was designed by a Doctor who came to us and said, "Build this." Our goal is to give each customer exactly what they want.



Our modular casework can be worked into most floor plans.





MEDICAL





Double Door Medical Cabinet

- Constructed of 18 gauge 304 stainless steel
- Dimensions are 48" W x 72" H x 12" D
- · Four adjustable stainless steel shelves
- · Locking doors available
- 1/4" Tempered glass doors
- Available in custom sizes

#700-00 Double Door Medical Cabinet #700-05 Pass-Thru Double Door Medical Cabinet





#700-20

Double Door Medical Cabinet with Base

- Constructed of 18 gauge 304 stainless steel with an overall dimension of 32" W x 72" H x 24" D
- 32" W x 30" H x 12" D double door upper cabinet equipped with 2 adjustable stainless steel shelves
- · Locking doors available
- 32" W x 36" H x 24" D stainless steel bottom cabinetry equipped with five pullout drawer pans for easy cleaning and maintenance.

#700-20 Double Door Cabinet and Cabinetry #700-25 Double Door Cabinet, Cabinetry with Narcotic Safe

MEDICAL

Pass-Thru Medical Cabinet

- Constructed of 18 gauge 304 stainless steel and 1/4" tempered glass
- Upper & Lower cabinets are accessible from either side
- Double door upper cabinet is equipped with 3 adjustable stainless steel shelves
- · Locking doors available
- · Custom sizes available
- OPTIONAL: Stainless steel trim available when placed into wall (ask for details).

#700-30 Pass-Thru Upper & Lower 2 Door Medical Cabinetry

MEDICAL CABINETS





Shown here installed in a surgery room.

TriStar offers this unit in custom sizes. Call us for details.




Pass-Thru Medical Window

- Constructed of 18 gauge 304 stainless steel and tempered glass
- Overall dimension of 36" W x 36" H x 12" D
- 2 stainless steel shelves
- OPTIONAL: Locking doors available
- · Available in custom sizes

#700-50 Pass-Thru Medical Window

PASS-THRU WINDOWS INSTALLATION







Finished out with a stainless steel frame.



#700-50 Shown here installed and trimmed out in stainless steel #700-50TP Trim Package for Pass-Thru Medical Window



#CW-SU-10 Left or Right Hinge


#CW-SU-20







#CW-GU-20



#CW-U-10

#CW-U-20

Upper Modular Case Work Units

Units match the width of lower case work to provide a symmetrical layout. NSF specified stainless steel medical lift off hinges allow door to open 180 degrees and are removable for routine cleaning. All welds are ground and polished for sanitation.

- Constructed of 18 gauge type 304 stainless steel
- 2 adjustable stainless steel shelves
- Lift off hinges allow doors to be removed for routine cleaning
- Wall mount bracket included
- Sizes 17" W x 30" H x 12" D (single) & 32" wide (double)
- Available in custom sizes

CABINETS INSTALLED



Shown here with exposed shelving



Glass door model shown here



Solid door model shown here

LOWER

Lower Modular Case Work Units

Units match the width of upper case work to provide a symmetrical layout. NSF specified stainless steel medical lift off hinges allow door to open 180 degrees and are removable for routine cleaning.

- Constructed of 18 gauge type 304 stainless steel
- Lift off hinges allow doors to be removed for routine cleaning
- Sizes 17" W x 36" H x 24" D (single) & 32" wide (double)
- · Available in custom sizes









#CW-B-10 Left or Right Hinge available






#CW-B-22







I appreciate your working with me on the alterations made to my lift table that allowed me to use it in a limited space. It is a very nice product.

- Dr. Sam McIlvanie

Design around your specialty

A proper work island should allow you to design around your specialty. Ergonomics, configuration, placement and accessories allow your staff to quickly clean and organize and assist so you can make the most out of every procedure. Things to consider when designing a work island:

- Where is the plumbing coming from? (Ceiling or Floor)
- Configuration of door and drawer location? (Accessibility)
- Outlet and plug placements? (Keep Things at Your Finger Tips)
- Working height? (Do you sit most of the time? Are you taller than average?)
- What will make your tasks easier? (Ergonomics)



A work area this vital and heavily used deserves careful consideration and planning. Input from all staff members is seriously recommended. Ergonomics, configuration, placement and accessories can make your clinic much more efficient.

Things to think about when designing a work island:

- Where is the plumbing coming from? (Ceiling or Floor)
- Configuration of door and drawer location? (Accessibility)
- · Outlet and plug placements? (Keep Things at Your Finger Tips)
- Working height? (Do you sit most of the time? Are you taller than average?)
- What will make your tasks easier? (Ergonomics)

If your plans or drawings call for something different, please call our customer service team and discuss it.

All Columns

- Body constructed of 18 gauge type 304 stainless steel
- Most have inner removable panels allowing access to plumbing and wiring (ask for specs)
- Most columns are built 84" H
- No matter if plumbing & electrical components come up from floor or down from ceiling, they are run though the utility chambers and are accessed through removable panels. (Don't worry if your plumbing is already roughed in. We can match it)
- Adjustable shelving allows you to change shelf spacing

Choose

- 1-3 wet/prep cabinets to create work island
- · Configure one on your own or call us for help

Optional

- · Pass-thru drawer system allows access from either side; add to column, cabinets or both
- · Ordering outlets pre-installed is recommended.
- Stainless steel counter sunk floor drains with strainers are installed when concrete is poured, floor drains help prevent clogs due to hair

Standard Column

- · Designed to be installed in the middle of your prep area
- Multiple columns (2 to 5 columns with cabinetry) often spaced out in rows to maximize prep area
- Column width can be modified to meet your specifications
- Overall dimensions 28" W x 84" H x 28" L

Includes

- 2 removable inner panels allow access to wiring and plumbing
- 1 upper door storage space
- 1 adjustable shelf
- 1 pull out writing shelf
- and electrical access

Choose

- · Wet/Prep cabinets to create work island
- · Consider configuration (which side will doors and drawers be on or choose pass-thru package)

Optional

- Available in custom sizes
- Pass-thru drawer package
- Stainless steel cap (make to size) to close gap from top of column to ceiling
- Electrical and gas outlets placed to your specifications
- Extension available



Y-Column

- · Designed to be situated in the middle of your prep area and gives 360 degree access
- Column was designed to add space between cabinets where they meet column

· Cabinets are spaced apart to provide enough room for doctors and staff to work side-by-side

Removable top and middle

and plumbing 12 adjustable shelves

electrical access



H-Column

Includes



Two 28" W x 84" H x 28" L columns that include:

- 2 removable inner panels allow access to wiring and plumbing
- 1 upper door storage space
- 2 adjustable shelves
- 1 lower door for plumbing and electrical access



Choose

- 1 to 2 wet/prep cabinets to create work island
- · Consider configuration (Which side will doors and drawers be on or choose pass-thru package)

Custom #CLM-H shown

Center Cabinetry

- · Counter top constructed of 16 gauge type 304 stainless steel
- Choose door and drawer configuration
- Optional shelf rack mounted to counter top
- Adjustable shelving allows you to change shelf spacing pass-thru drawer system allows drawer to be accessed from either side
- Outlet such as Electrical, Water, Oxygen, Central-Vac and/or Gas vacuum

Optional

- Available in custom sizes
- Pass-thru drawer package
- Stainless steel cap to close gap from top of column to ceiling
- Electrical and gas outlets placed to your specifications
- Extension available

#CLM-ST-PT

Pass-Thru Dry Column

- · Pass-thru Dry Prep Column
- This column is a "dry"column there is no plumbing
- Cabinet incorporates the pass-thru drawer system
- Can be modified to meet your specifications
- Overall dimensions 28" W x 84"H x 28" L

Includes

- 2 removable inner panels allow access to wiring and plumbing
- 2 door upper storage cabinet (1 door on either side)
- · 1 adjustable shelf
- 1 pass-thru writing shelf
- 2 pass-thru storage drawers
- 2 door lower plumbing and electrical space

Choose

- 1 to 2 wet/prep cabinets to create work island
- Consider configuration (Which side will doors and drawers be on or choose pass-thru package)

Optional

- · Available in custom sizes
- Complete pass-thru package or partial pass-thru system
- Stainless steel cap (make to size) to close gap from top of column to ceiling
- Electrical and gas outlets placed to your specifications
- Extension available





Off-Set Column

- Designed to be situated in the middle of your prep area
- Column width can be modified to meet your specifications
- Upper column can be designed with open shelving or with storage cabinets
- Overall dimensions 56" W x 84" H x 28" L

Choose

- 1 to 2 wet/prep cabinets to create work island
- Consider configuration (Which side will doors and drawers be on or choose pass-thru package)

Includes

- 2 removable inner panels allow access to wiring and plumbing
- 4 upper door storage space (2 doors on either side)
- 4 adjustable shelves
- 2 lower storage spaces with plumbing and electrical access



#CLM-OS

Optional

- · Available in custom sizes
- · Pass-thru drawer package
- Stainless steel cap (make to size) to close gap from top of column to ceiling
- Electrical and gas outlets placed to your specifications
- Extension available

LowBoy Column

- · Simple column design to hide wiring and plumbing coming up from floor
- · Column with can be modified to meet your specifications (i.e. 28" x 28" or as thin as 6" x 28")
- Overall dimensions 28" W x 40" H x 28" L
- Includes pullout writing shelf, 2 drawers & plumbing access door

Optional

- Available in custom sizes
 - Pass-thru drawer package
- Stainless steel cap (make to size) to close gap from top of column to ceiling
- Electrical and gas outlets placed to your specifications



Choose any of our standard Island designs or let our design team help create one for you









I was genuinely impressed with everyone at Tristar that I interacted with throughout the entire process. We have been using the tub for several weeks and our employees are very fond of it and customers that have seen it have been impressed. Thank you for a well-made and functional piece of equipment.





Functional by design.

TriStar offers a range of functional bathing and grooming products customized to fit the everyday needs of any clinic. When evaluating bathing and grooming equipment, be sure to keep these tips in mind:

- TriStar's patented rotating ramp solves the problem of your staff lifting heavy dogs and the ramp is easily stored underneath the tub.
- Adjustable tubs make it easier for your staff to work on animals of any size.
- High backsplash panels can prevent water damage to surrounding walls.



Patented Bathing Tub with Swivel Ramp

U.S. patent #6,516,752

- Outside Dimensions: (59" or 48")W x 64 1/2"H x 28 1/4"D (front to back)
- Constructed of 16 gauge type 304 stainless steel
- Fully welded one piece design ensures against leaks
- Tub design has a built in 1" slope to allow for positive drainage
- Swinging door creates large entry point for larger animals
- · High backsplash helps prevent water damage to surrounding walls
- · Fully welded tubing underframe provides a very solid base
- Elevated Grate System
- · Adjustable stainless steel feet allow for leveling
- INCLUDES: 26 1/2" x 20" HDPE Elevated Grate

#800-00 59" Bathing Tub, RIGHT Plumbing, LEFT Rotating Ramp #800-02 48" Bathing Tub, RIGHT Plumbing, LEFT Rotating Ramp #800-10 59" Bathing Tub, LEFT Plumbing, RIGHT Rotating Ramp #800-12 48" Bathing Tub, LEFT Plumbing, RIGHT Rotating Ramp



#800-HR Shown with optional faucet



Adjustable Height Bathing Tub

60"W x (8"-42"H) x 28 3/4"D

- Easy adjustable working height
- · No ramp needed Dogs can easily walk into tub
- · Lifts any dog to desired height
- · Electric hydraulic lift tub
- Constructed of 16 gauge type 304 stainless steel
- Tub depth is 13"
- Tub floor adjustable from 8" off the ground to 42" high.
- Fully welded one piece design ensures against leaks
- High backsplash design helps prevent water damage to walls
- · Tie-down rail for securing animal
- Durable underframe w/ bracing provides a very solid base
- * INDICATE FAUCET LOCATION WHEN ORDERING

#800-HL Left Drain #800-HR Right Drain

TUBS







#800-17

ADA Compliant Grooming Tub w/Swivel Ramp

- Outside Dimensions: 60"W x 58"H x 24 5/8"D (front to back)
- Constructed of 16 gauge type 304 stainless steel
- Swivel ramp entry no more lifting
- Easy opening for all dogs: Our tub door sllides open to accommodate dogs of all sizes
- Lower tub depth for wheelchair reach: Instead of the standard 36" tub depth, ours is shallower and with a lower height. This provides head-to-paw dogwashing comfort for someone in a wheelchair.
- Comfortable-reach fixtures: we lowered the faucet and sprayer so they're within easy reach from a wheelchair
- · High backsplash design helps prevent water damage to walls
- Tub-side restraint hooks: Most tubs only have restraint hooks in the back of the tub. We added side hooks to accommodate everyone

We support the ADA mission of "Advancing Equal Access!" **Custom sizes are available.**

- OPTIONAL: 20" x 20" x 12" HDPE Raised Grate
- OPTIONAL: 35" x 22" HDPE Floor Grate

#D60R-SR-ADA 60" Bathing Tub, Right Plumbing (Left Rotating Ramp) #D60L-SR-ADA 60" Bathing Tub, Left Plumbing (Right Rotating Ramp)

Tubs with 45 Degree Cut Side Splashes

- Outside Dimensions: (47 1/4" or 35 1/4")W x 55"H x 26 5/8"D (front to back)
- Constructed of 16 gauge type 304 stainless steel
- Tub depth is 13"
- · Fully welded one piece design ensures against leaks
- · High backsplash design helps prevent water damage to walls
- · Elevated grate guide system for bathing small animals
- · Tie-down rail located on backsplash for securing animal
- · Fully welded tubing underframe provides a very solid base
- INCLUDES: 23" x 20" HDPE Elevated Grate

**indicate faucet location when ordering

#800-15 47 1/4" Bathing Tub, 45 Degree Side Splashes & Center Drain #800-16 35 1/4" Bathing Tub, 45 Degree Side Splashes & Center Drain

Tubs with Full Side Splashes

- Outside Dimensions: (48" or 36")W x 58"H x 25 3/4"D (front to back)
- Constructed of 16 gauge type 304 stainless steel
- Tub depth is 12"
- · Fully welded one piece design ensures against leaks
- High backsplash design helps prevent water damage to walls
- · Elevated grate guide system for bathing small animals
- 3 tie-down d-ring locations for securing animal
- Fully welded tubing underframe provides a very solid base
- INCLUDES: 23 5/8" x 20" HDPE Elevated Grate

**indicate faucet location when ordering

#800-17 48" Bathing Tub with Center Drain #800-18 36" Bathing Tub with Center Drain

GRATES




Step-In Bathing Tub

- · Constructed of 16 gauge type 304 stainless steel
- Tub depth is 6"
- Fully welded one piece design ensures against leaks
- · High splash design helps prevent water damage to walls
- 3 tie-down d-ring locations for securing animal
- · Fully welded tubing underframe provides a very solid base
- · OPTIONAL: HDPE Raised Grate

**indicate faucet location when ordering

#800-20 48" Bathing Tub, Full Side Splashes & Center Drain 48"W x 50"H x 28"D #800-21 36" Bathing Tub, Full Side Splashes & Center Drain 36"W x 50"H x 28"D



Floor Grates

- Grate surface is designed with 0.40 HDPE
- · Encased in a stainless steel frame
- · Frame is elevated 2"H by stainless steel legs
- Grate surface is perforated with 0.475 holes

#800-00FG 48" x 24" HDPE Floor Grate, Elevates 2"H #800-02FG 38" x 24" HDPE Floor Grate, Elevates 2"H #800-10FG 48" x 24" HDPE Floor Grate, Elevates 2"H #800-12FG 38" x 24" HDPE Floor Grate, Elevates 2"H #800-15FG 46" x 20" HDPE Floor Grate, Elevates 2"H #800-16FG 34" x 20" HDPE Floor Grate, Elevates 2"H #800-17FG 41" x 21" HDPE Floor Grate, Elevates 2"H #800-18FG 29" x 21" HDPE Floor Grate, Elevates 2"H #800-20FG 38" x 24" HDPE Floor Grate, Elevates 2"H #800-30FG 31" x 19" HDPE Floor Grate, Elevates 2"H



Elevated Grates

- · Constructed of 0.40 HDPE
- Encased in a 304 stainless steel frame
- · Grate rests on "Elevated Grate Guide System"
- · Perforated with .475 hole pattern
- For use on TriStar tubs only

#800-00EG 26 1/2" x 20" HDPE Elevated Grate #800-02EG 26 1/2" x 20" HDPE Elevated Grate #800-15EG 23 1/8" x 20" HDPE Elevated Grate #800-17EG 23 5/8" x 20" HDPE Elevated Grate #800-25EG 26 1/2" x 20" HDPE Elevated Grate



Products arrived well packaged & without any damage. All are finally installed & I am very pleased with the quality of the workmanship & the design.





Built to last.

When you're shopping for boarding equipment, keep the following in mind:

- Quality equipment constructed to reduce bacteria growth and maintain a sterile environment.
- Products designed for ease of cleaning.
- Glass kennel doors provide a luxurious open-boarding look without sacraficing durability.
- Kennel doors that swing both in and out provide your staff with the flexibility and safety needed in dealing with large or aggressive animals.

DOORS

PREMIUM & BOWL FEEDER



Premium Door

There are many reasons why the TriStar Premium kennel door will provide your facility with the performance you require.

- 1 1/4" stainless steel tubing is miter cut to create a pleasing aesthetic (Miter-diagonally joined at the corner)
- Stainless steel rods are welded to the bottom frame so urine, water and bacteria will not get trapped inside
- Kennel doors swing both in and out to assist with large or aggressive dogs and to allow kennel runs in narrow areas
- No bottom rail to trip over or trap urine, feces or fur
- Positive spring loaded latch allows one- handed operation & assures door can't be pushed open once closed
- Custom sizes available, great for renovating in existing spaces
- Wall angles to attach doors to block wall included/standard
- Grill door is made up of 1/4" stainless rods that pass through 14 gauge stainless band, Then tack welded to prevent rattling

#1036-KD 35 1/2" W x 75 1/2" H #1048-KD 47 1/2" W x 75 1/2" H w/ side partition #1060-KD 59 1/2" W x 75 1/2" H w/ side partition



Rotating Bowl Feeder

A stainless steel panel that rotates 360 degrees. This feature provides easy and safe access to food and water. A self-closing spring latch design makes this feature very easy to operate. This is an option that can be built into any door manufactured by TriStar. Two stainless steel 2 quart bowls included.

#1036-BF





DOORS

TEMPERED GLASS





Tempered Glass Door

The TriStar glass kennel door provides a luxurious open-boarding look with out sacrificing durability. Glass provides unobstructed views while ensuring a safe environment.

- 1 1/4" stainless steel tubing frame is miter cut to create a pleasing aesthetic (Miter-diagonally joined at the corner)
- 1/4" tempered glass doors, great for noise control & provides an open boarding feel
- Kennel doors swing both in and out to assist with large or aggressive dogs and to allow kennel runs in narrow areas
- · No bottom rail to trip over or trap urine, feces or fur
- Positive spring loaded latch allows one- handed operation & assures door can't be pushed open once closed
- · Decorative door handles for luxury boarding appeal
- · Custom sizes available, great for renovating in existing spaces
- · Wall angles to attach doors to block wall included/standard

#1036-GD 35 1/2" W x 75 1/2" H #1048-GD 47 1/2" W x 75 1/2" H with side partition #1060-GD 59 1/2" W x 75 1/2" H with side partition

Tempered Glass Door with Rain Panel

36" high rain panel hides nose prints by distorting the glass, yet creates a sense of openness by allowing light to show through. In addition, it may also provide a sense of privacy when animals are resting. This panel eliminates the need of constantly cleaning the bottom glass door.

See Tempered Glass Door above for specs

#1036-GRD 35 1/2" W x 75 1/2" H #1048-GRD 47 1/2" W x 75 1/2" H with side partition #1060-GRD 59 1/2" W x 75 1/2" H with side partition



Shown with optional Bowl Feeder

IDF PANFIS

STAINLESS STEEL & STARLITE



Ask about our Social Side Panel easily removable to increase kennel size temporarily

Stainless Steel Side Panel

- Constructed of 18 gauge 304 stainless steel 1 1/4" square tubing
- 48" H isolation partition is double wall 20 gauge stainless steel sheet metal and is lined with high density foam to reduce noise
- No exposed raw edges to catch hair and dirt
- Side panel fits over a floor mount "U" channel to prevent cross contamination
- INCLUDES: Wall Angle to connect panel to back wall
- Available in custom sizes

#1048-SP 48" W x 75 1/2" H #1060-SP 60" W x 75 1/2" H #1072-SP 72" W x 75 1/2" H #1084-SP 84" W x 75 1/2" H #1096-SP 96" W x 75 1/2" H

Starlite Side Panel

- · Frame body constructed of heavy duty TYPE 304 stainless steel
- · Hand welded and polished
- 1/4" Stainless steel vertical and horizontal rods
- 48" H Isolation partition is a wall of 0.40" HDPE (high density polyethylene)
- INCLUDES: Wall Angle to connect panel to back wall

#1048-SLSP 48" L x 75 1/2" H Starlite Side Panel* #1060-SLSP 60" L x 75 1/2" H Starlite Side Panel* #1072-SLSP 72" L x 75 1/2" H Starlite Side Panel* #1084-SLSP 84" L x 75 1/2" H Starlite Side Panel* #1096-SLSP 96" L x 75 1/2" H Starlite Side Panel* * INDICATE COLOR WHEN ORDERING

STARLITE IS A HIGH DENSITY POLYETHYLENE (HDPE)

- Abrasion Resistant
- Moisture Resistant
- Stain Resistant
- Odor Resistant
- Very Durable
- FDA Approved
- · High Impact Strength
- Chemical Resistant















*This is a photographic image and may not reflect exact color due to slight variations in manufacturing. PLEASE CALL FOR FREE SAMPLE BEFORE ORDERING

BACK PANELS

STAINLESS STEEL & STARLITE



Stainless Steel Back Panel

- Panel is double wall 20 gauge stainless steel sheet metal and is lined with high density foam to reduce noise
- No exposed raw edges to catch hair and dirt
- Side panel fits over a floor mount "U" channel to prevent cross contamination
- · INCLUDES: Wall Angle to connect panel to back wall
- Available in custom sizes
- · Panel is designed with cross break for added strength

#1036-BP 35 1/2" W x 75 1/2" H Stainless Steel Back Panel #1048-BP 47 1/2" W x 75 1/2" H Stainless Steel Back Panel #1060-BP 59 1/2" W x 75 1/2" H Stainless Steel Back Panel




Starlite Back Panel

- Panel frame is constructed of heavy duty TYPE 304 stainless steel
- Panel is a wall of 0.40" HDPE (high density polyethylene)
- · Hand welded and polished

#1036-SLBP 35 1/2" W x 75 1/2" H Starlite Back Panel* #1048-SLBP 47 1/2" W x 75 1/2" H Starlite Back Panel* #1060-SLBP 59 1/2" W x 75 1/2" H Starlite Back Panel*

* INDICATE COLOR WHEN ORDERING (See page 39 for color options)

GUILLOTINE



Starlite Back to Back Panel Guillotine Door

The guillotine door is a feature offered in all starlite back panels. The door runs the width the back panel and slides inside of a stainless steel track. A back panel with guillotine door is usually used when you have a back-to-back kennel design. This feature provides easy and safe access to the adjoining kennel.



Wall Mount Guillotine Door

1000-EZCB Upgraded Counter Balance & Slides



1000-GDCB Counter Balance

RAISED

The TriStar raised kennel system is quick and easy to assemble. This system was designed to eliminate the use of brackets and screws. This design prevents urine from leaking into the panels and becoming trapped. A polycoated sub-floor elevates animals out of waste keeping them dry and clean. A stainless steel collection pan directs waste from each kennel to a central drain line.



- Frame and door are constructed of 1 1/4" 18 gauge 304 stainless tubing, this door will not twist or distort
- Designed with out the use of brackets or screws to make assembly quick and easy



Poly-coated subfloor elevates animals up and out of urine



Door swings both in and out




Positive locking latch provides hands free operation




Stainless steel collection pan with drain directs waste from each kennel to a central floor drain





This plumbing can easily be joined together by your plumber. Collection pans in each run can be connected with PVC piping and plumbed to a central sewer line. For more information, contact our design team.

ACCESSORIES













Card Holders

- · Constructed of 304 stainless steel
- · Attaches to any Kennel or Cage rod door

#CHGD-3x5 3"x5" Glass Door Card Holder #CHGD-5x7 5"x7" Glass Door Card Holder

#CHRD-3x5 3"x5" Rod Door Card Holder #CHRD-5x7 5"x7" Rod Door Card Holder

Kennel Mount Infusion Platforms

- · Constructed of heavy type 304 stainless steel
- Attachment pole doubles as IV pole
- IV hook included
- · Hanger hooks attach to most kennels and cages
- Available in custom sizes

#1000-IP Single Infusion Pump Platform #1010-IP Dual Infusion Pump Platform

Stainless Steel Resting Bench(Not Shown)

- Constructed of 304 stainless steel
- Hinge system enables it to swing up for cleaning

#1036-RB 35 1/2" W x 24" D Stainless Steel Resting Bench #1048-RB 47 1/2" W x 24" D Stainless Steel Resting Bench #1060-RB 59 1/2" W x 24" D Stainless Steel Resting Bench

Starlite Resting Bench

- · Stainless steel frame and Starlite surface design
- · Hinge system enables it to swing up for cleaning

#1036-SLRB 35 1/2" W x 24" D Starlite Resting Bench #1048-SLRB 47 1/2" W x 24" D Starlite Resting Bench #1060-SLRB 59 1/2" W x 24" D Starlite Resting Bench

Starlite Trough Cover

- · Stainless steel frame and Starlite surface design
- "Z-Clip" design enables you to lift off cover for easy cleaning

#1036-SLTC 35 1/2" W x 12" D Starlite Trough Cover #1048-SLTC 47 1/2" W x 12" D Starlite Trough Cover #1060-SLTC 59 1/2" W x 12" D Starlite Trough Cover

Stainless Steel Trough Cover (Not Shown)

- · Constructed of 304 stainless steel
- "Z-Clip" design enables you to lift off cover for easy cleaning

#1036-TC 35 1/2" W x 12" D Stainless Steel Trough Cover #1048-TC 47 1/2" W x 12" D Stainless Steel Trough Cover #1060-TC 59 1/2" W x 12" D Stainless Steel Trough Cover

Kennel Roof Enclosures

· Constructed of heavy duty stainless steel

#1000-RE * CALL FOR SIZES AND PRICING



As unexpected delays occurred on the project my sales rep was nothing but professional and patient. I hope to be involved in more projects requiring the products offered by TriStar Vet.

- Shana Parks, Master Contractors of VA, Inc.

Custom Configurations & Maximum Durability

When it comes to cat boarding comfort, versatility and durability are paramount. It is important to provide a safe, separate boarding option that allows cats to climb, perch and lounge and promote easy cleaning, maneuvering and long lasting performance. When shopping for kitty condos keep the following in mind:

- Custom configurations meeting all the latest guidelines for feline safety and comfort
- Maximum durability for many years
- Kitty comfort and versatility
- · Easy maneuvering
- Cat condos that ship fully assembled



POWDER COATED

The TriStar Cat Condo is constructed of heavy duty steel which is then powder coated. Powder coating is a type of electrostatic coating. The coating creates a hard finish that is durable, very resistant to scratches, cracking, peeling and UV rays, and is available in over 100 color options.

Triple Stacked Cat Condos



Double Stacked Cat Condos





Cat Condos

- Powder coated steel available in over 100 colors
- Elevated resting platform
- Side pass-thru portal allows horizontal movement
- · Floor pass-thru portal allows vertical movement
- Urine retaining lip helps prevent fluids from leaking into surrounding areas
- 1/4" Tempered glass back
- · 4" double ball bearing casters
- · Stainless steel doors will not sag

29"W x 78"H x 29"D Condos with 3 Enclosures

#1200-31 Left Unit, Triple Stacked, Tempered Glass Back #1200-34 Center Unit, Triple Stacked Tempered Glass Back #1200-37 Right Unit. Triple Stacked Tempered Glass Back

29" W x 59" H x 29" D Condos with 2 Enclosures

Enclosures (inside dimensions) 27" W x 26"H x 29"D

#1200-21 Left Unit, Double Stacked, Tempered Glass Back #1200-24 Center Unit, Double Stacked Tempered Glass Back #1200-27 Right Unit, Double Stacked, Tempered Glass Back

Kitty Litters

- · Powder coated steel
- Side pass-thru portal allows horizontal movement into litter area
- · Storage area above litter area
- Urine retaining lip helps prevent fluids from leaking into surrounding areas
- 4" double ball bearing casters
- Over 100 colors to choose from for cat condos
- · Ideal for animal control facilities

#1200-28 Double Stack Kitty Litter Left Unit, 4 doors #1200-29 Double Stack Kitty Litter Right Unit, 4 doors #1200-30 Double Stack Kitty Litter Center Unit, 4 doors

#1200-38 Triple Stack Kitty Litter Left Unit, 6 doors #1200-39 Triple Stack Kitty Litter Right Unit, 6 doors #1200-40 Triple Stack Kitty Litter Center Unit, 6 doors

STAINLESS STEEL





The new TriStar cat condo is designed to meet the needs of the modern animal care facility and will last for many years to come.

Stainless Steel Cat Condo (Triple Stacked with litter area)

- Constructed of 18 gauge type 304 stainless steel
- 3/4" radius corners provide for easy cleaning and disinfecting
- · Elevated resting platform
- · Litter box shield to hide litter box from the viewing side
- Side-to-side pass-thru to litter area
- Up and down pass-thru is raised to prevent fluids from spilling into bottom enclosure
- · Latch can be pad locked for secure containment
- · Heavy duty non-marking casters
- Available with tempered glass doors

#1200-50 Overall dimensions 38" W x 78" H x 29" D

Cage dimensions 24" W x 24 3/4" H x 29" D

Litter dimensions 14" W x 24 3/4" H x 29"D





Pass-thru is raised to prevent fluids from spilling into lower enclosure



Side-to-side pass-thru to litter area

Stainless Steel Cat Condo (Double Stacked with litter area and storage)

- Constructed of 18 gauge type 304 stainless steel
- 3/4" radius corners provide for easy cleaning and disinfecting
- Elevated resting platform
- Litter box shield to hide litter box from the viewing side
- Up and down pass-thru is raised to prevent fluids from spilling into bottom enclosure
- · Latch can be pad locked for secure containment
- · Heavy duty non-marking casters
- Designed to provide extra storage
- · Available with tempered glass doors

#1200-55 Overall dimensions 38" W x 78" H x 29" D

Cage dimensions 24" W x 24 3/4" H x 29" D

Litter dimensions 14" W x 24 3/4" H x 29"D





MODULAR

Modular Cat Condos





As irresistible as adoptable kittens: the best cat condo for your shelter or boarding facility

TriStar offers colorful, cute modular configurations so you can create a tall cat condo setup, a custom-designed look, or anything else you wish!

The possibilities are endless with our modular cat condo system... designed for adoption shelters, and perfectly at home in luxury boarding facilities too!

Start with our 36"W x 30"H x 30"D powder-coated steel cat condo with built in 13"W x18"H kitty litter area. Each unit includes a stainless steel trimmed tempered glass door, guillotine sliding access door (to the separate litter area), decorative frosted glass kitty litter door, resting shelf and clear, tempered glass back.

Add the options that make it the best cat condo for you:

- 100+ powder-coated color options
- · Swivel Bowl feeder lets you replenish food and water without opening the door
- Add ventilation to capture and remove odors
- Make it a tall cat condo with our mobile cabinet base offering convenient storage

Need help designing the perfect configuration?

Contact us at 877.459.7827 or sales@tristarvet.com for assistance.



LUXURY CAT RUNS

Luxury Cat Runs



Cats like to climb, perch and lounge and these luxury cat runs are ideal for cat parents seeking the ultimate boarding experience so why not give them what they're looking for and let your facility reap the benefits. Not only will our cat runs last for years they will continue to look brand new with minimal maintenance. Our cat runs are made to your specifications so getting just the right size is a given. They're roomy enough for complex cat furniture and offer felines the space they need to explore.

Not only will our cat condo runs last for years, they'll continue to look brand new with minimal maintenance.

As featured in Pet Boarding & Daycare Magazine, we offer the best cat condo runs for all your boarding needs — from fully-custom luxury settings to simple, stylish shelters.



Unlike traditional cat condos, TriStar cat runs offer a truly luxurious feline boarding experience with plenty of room to lounge in a space that incorporates complex cat furniture. Made of stainless steel with a grill top, our cat runs are built to last and will look brand new even after years of use. Size is never a concern! They're made to your exact specifications and include these special features:

- Type 304 stainless steel tubing frame means lasting durability
- No bottom rail to trip over or trap urine, fur or kitty litter. These cat runs pass the clean-ability test!
- 1/4" tempered clear or frosted glass, allows you to easily view your client and lets in natural light
- Doors can be retrofitted for existing block walls or side panels in stainless, patterned glass or colorful Starlite material
- Doors swing in and out, allowing your staff to enter the run while keeping would-be escape artists inside (no darting out of an opening door)
- Your condo cat perch options are only limited by your imagination
- Optional swivel bowl feeder allows you to replenish food and water without opening the run door

Just let us help you design the best cat condo runs for your facility. Contact us at 877.459.7827 or sales@tristarvet.com for assistance.



I'm so happy with my product and all the service I received. Everyone was great. Bryan, thanks for your patience.





Our cages pass the smell test.

Our 'clean' cages were designed for complete cleanability so your clinic will always pass the smell test. Keep in mind the following:

- Lift off hinges allow doors to completely lift off for easy, complete cleaning
- Collection tray allows you to clean the cage even while in use
- The lower the gauge, the more heavy duty the stainless
- 18 gauge stainless cages are heavier than industry standard and help dampen sound, decreasing animal anxiety
- Fully welded cages resist leaks and provide years of durability, making the most of your investment
- Easy maneuverability, locking casters allow you to roll into place and secure
- Our cages ship fully assembled, no time consuming assembly required

RECOVERY

The TriStar Clean Cage unit allows you to quickly clean each enclosure. A perforated subfloor elevates animals and allows for drainage of fluids. Waste material drains into a removable collection pan and allows your staff to clean with out removing the patient.



#1600-2424

Optional: Cage Bank Trim

#1600-TP Top Panel #1600-REP Right End Panel #1600-LEP Left End Panel




#1600-4836D Shown here with optional mobile base

- · Constructed of durable 18 gauge type 304 stainless steel
- All welds are hand polished to achieve a beautiful aesthetic
- · Stainless steel doors lift off for thorough cleaning
- Perforated sub-floor allows fluids to drain down into collection pan
- · Collection tray allows you to clean cage even while in use
- · Collection tray allows for removal of pan with out opening cage door
- OPTIONAL: Glass doors Available

#1600-2424 24"W x 24"H x 28"D Stainless steel cage #1600-2430 24"W x 30"H x 28"D Stainless steel cage #1600-3030 30"W x 30"H x 28"D Stainless steel cage #1600-3630 36"W x 30"H x 28"D Stainless steel cage

REMOVABLE FLOOR GRATE & WASTE PAN



The following cages are designed with you and your staff in mind. We have eliminated the center bracing bar that is problematic when trying to place a large patient into an enclosure. The design is very similar to a French door design. These enclosures are also offered with a divider panel that, when inserted, create two separate enclosures for smaller patients.

- Constructed of durable 18 gauge type 304 stainless steel
- No center bar great for large or recovering patients
- All welds are hand polished to achieve a beautiful aesthetic
- · Stainless steel doors are designed with lift off hinges
- Perforated sub-floor allows fluids to drain down into collection pan
- · Collection tray allows you to clean cage even while cage is in use
- Collection tray allows for removal of pan with out opening cage door
- · OPTIONAL: Glass doors available
- OPTIONAL: Mobile stainless steel base

#1600-4830 48"W x 30"H x 28"D Stainless steel cage #1600-4830D 48"W x 30"H x 28"D Stainless steel cage with divider panel #1600-4836 48"W x 36"H x 28"D Stainless steel cage #1600-4836D 48"W x 36"H x 28"D Stainless steel cage with divider panel #1600-MB 48" x 28" Stainless steel mobile base



RECOVERY

The TriStar cage system provides the important features every animal hospital needs. These features help in maintaining a sanitary environment and helps lower the "stress factor" involved in the daily maintenance of caring for the patient. A NEW feature is a recessed shelving platform which provides a stable and protective area to place delicate and life saving equipment. We eliminated the center bracing bar that becomes problematic when trying to place a large patient into the enclosure. The design is similar to a French door design. This enclosure can also be separated into 2 smaller units with an optional divider panel.





Mobile ICU Recovery Unit

- Overall dimensions 48"W x 71"H x 28"D
- Top Enclosure: 24" W x 24" H x 28" D
- Bottom Enclosure size 48" W x 31" H x 28" D
- Constructed of type 18 gauge type 304 stainless steel
- Removable perforated subfloor elevates patient
- Protective recessed shelving platform
- DCO electrical outlet included
- Available in custom sizes

#1300-20 Mobile ICU Recovery Unit

TITAN Series Cages

This powerhouse is made from 18GA stainless steel, the heaviest weight in the animal care industry. The TITAN effortlessly absorbs sound and provides firm flooring, ensuring this cage lives up to it's name. Add a urine retaining edge and some coved corners for easy cleaning and your opinion on cages is getting ready to change, forever.

- Constructed of heavy type 304, 18GA stainless steel
- 12 Ga. Super duty slam latch for one handed closure
- · 16GA stainless steel door hinges counteract sagging doors
- Fully welded design resists leaks and provides added durability
- All stainless steel fasteners so rust is never a concern.
- · Latch has can pad locked for added safety
- · Urine retaining edge contains spills, keeping floors and surrounding cages clean
- · Lift off hinges allow door to completely lift off for complete cleaning
- · All edges are ground and polished for a safe, smooth finish

Options

- · Top and side trim packages available to achieve a finished look
- Mobile base constructed of 1 1/4" stainless tubing on locking casters

All cages 27" Deep, [Left or Right side hinge], Optional: {Divider}
#TITAN:1500-2424[L or R] 24"W x 24"H
#TITAN:1500-2430[L or R] 24"W x 30"H
#TITAN:1500-3024[L or R] 30"W x 24"H
#TITAN:1500-3030[L or R] 30"W x 30"H
#TITAN:1500-3630[L or R] 36"W x 30"H
#TITAN:1500-3630[L or R] 36"W x 36"H
#TITAN:1500-4830{D} 48"W x 30"H, Double Door, No Center Post {Starlite Divider}
#TITAN:1500-4836{D} 48"W x 36"H Double Door, No Center Post {Starlite Divider}
#TITAN:1500-48MB 48" x 27" Stainless Steel Mobile Base
#TITAN:1500-60MB 60" x 27" Stainless Steel Mobile Base
#TITAN:1500-72MB 72" x 27" Stainless Steel Mobile Base

The TriStar double stacked Isolation Unit has been designed to assist your practice by providing quality care and sanitation. Each enclosure has a removable stainless perforated subfloor and collection pan that slopes to a 2" drain. Both drains are easily plumbed into your existing plumbing. Each enclosure is equipped with a variable speed exhaust fan to evacuate fumes. Additionally, an optional heavy duty 96" spray hose can be mounted on either side of the unit to provide a water source for easy cleanup. Tempered glass doors provide easy viewing of patients, as well as contain any discharges that may occur.



Isolation Unit

- Overall dimensions 29 1/2" W x 77 1/2" H x 31" D
- Enclosure size 25" W x 25" H x 29" D
- · Constructed of type 304 stainless steel
- · Tempered glass doors for easy viewing
- · Removable stainless steel perforated subfloor elevates patient
- Collection pan slopes and drains that are easily plumbed
- · Variable speed fan evacuate fumes
- · Available in custom sizes

#1400-20 Double Stacked Isolation

#1400-20



Don't forget to add Card Holders to your order. (see page 42 for details)

PARVO



Parvo Cage

The TriStar parvo cage is constructed of 16 gauge type 304 stainless steel. This material will provide a sanitary environment for the most infectious diseases. Our parvo unit has a raised floor, splatter guard and fluid retaining lip. These features combine to create a safe and sanitary system for collecting and disposing of infectious fluids.

- Overall dimensions 38 1/2" W x 45 1/2" H x 32" D
- Enclosure size 36" W x 27" H x 32" D
- Constructed of type 304 stainless steel
- · Removable perforated subfloor elevates patient
- · Stainless steel drain is easily plumbed
- Removable splatter guard for easy cleaning
- Available in custom sizes

#1400-10 Parvo Cage



Double Stacked Parvo Cage

- Overall dimensions 38 1/2" W x 73 1/4" H x 32" D
- Enclosure size: 36" W x 27" H x 32" D
- · Constructed of type 304 stainless steel
- Removable perforated subfloor elevates patient
- · Stainless steel drain is easily plumbed
- · Removable splatter guard for easy cleaning
- Available in custom sizes

#1400-15 Double Stacked Parvo Cage



Your prices were great and the workmanship far surpassed the others at the show. We all forget how important customer service is and also the entrepreneurial spirit. I prefer to deal with these people because they work so very hard and produce great products and relationships with their clients.

- Jean Daniels

Everything for the routine and extraordinary.

The smallest details can make the biggest difference in your clinic. Here are a few things to consider when shopping for all the extras:

- Durable faucets designed for heavy use help prevent untimely leaks and frequent replacements.
- Infrared faucets free up your staffs' hands and saves time on cleaning later.
- Corner guards can help prevent cosmetic damage to your clinic walls.
- Customer service. Faucet kits will require replacement parts so ask how replacements and warranty are handled up front.



Treatment Faucets



Water-Flo

 Deck Mount 8" Swing Spout with Single Lever Shut-Off Valve, Vacuum Breaker, Water-Flo Mixing Valve, Dual Temperature Control and 96" Stainless Steel Flex Hose

#TS100-WF



Non Water-Flo

 Deck mount (8" center) faucet with 10" Goose Neck, 96" Stainless Steel Flex Hose and Sprayer

#TS-100

Scrub Sink Faucets



Wing Handle

• Wall Mount (8" center) Faucet with 8" Swivel Gooseneck and Wing Handles

#451KN8008WH



Infrared Wall Mount

 Wall Mount infrared faucet w/ 6" gooseneck spout. Battery operated. No trans former required. Ideal for retrofit and easy to install.

#5EF-1D-WGB

 Wall Mount infrared faucet w/ 6" gooseneck spout. AC adapter. No transformer required. Ideal for retrofit and easy to install.

#5EF-1D-WGA







Hands Free

Wall Mount Rigid 8" gooseneck (used in conjunction with B-0475 or B-0507)

#B-0535MOD129X

Knee Action Valve

 Heavy duty cam acting stirrup. Valve will remain in set position for hot, cold or mix water.

#B-0475

Foot Action Valve

• Self closing valve. Rough chrome body w/ highly polished chrome foot pedals.

#B-0507

Fecal Faucets



Fecal

 8" Center Faucet for Fecal Sink with 8" Gooseneck and 48" Vinyl Spray Hose and Thumb Sprayer

#B-1172-TS

Utility Faucets



Utility

• Wall mount (8"center) pre-rinse faucet with wall bracket. Assembled is approximately 38" high.

#KN53-1000-BR

 Deck Mount (8" center) pre-rinse with wall bracket. Assembled is approximately 38" high.

#KL60-1000-BR



Grooming Tub Faucets







4" Center

 Wall mount (4" center) spray with vacuum breaker and 48" stainless steel flexible hose

#K45-3100-VB48

 Wall mount (4" center) spray with vacuum breaker and 72" stainless steel flexible hose

#K45-3100-VB72 (not shown)

• Wall mount (4" center) spray with vacuum breaker and 108" coil hose

#K45-3101-V108

 Wall mount (4" center) spray with vacuum breaker and 72" light weight hose, garden sprayer

#KL45-Y002-VB



Light Weight Hose

• Sprayer/hose kit: 72" long Heavy duty yet light weight hose with garden sprayer

#DHK-72





Catch All Hair Trap

 Catch All Hair Trap is designed with a removable end-cap that unscrews by hand. Inside of trap is a strainer that collects hair and debris. To clean, simply unscrew and shake out strainer, then replace. This trap is used in place of a typical P-trap and in most cases it can replace your existing hair trap. Can be used with bathing tubs, wet/prep cabinets, sinks, and more.


#K-1701



Basket Drain

· Stainless steel duo basket drain with nut, gasket and sealing washer

#Basket-Drain



Floor Scale

- · 4 load cells ensure accurate & reliable readings
- · Easy to operate
- · Compact & light weight
- · "HOLD" feature
- Internal battery or AC powered
- · Auto power off
- 500 pound capacity
- Platform dimensions 42" L x 22" W
- · Includes digial read out, stainless steel top & rubber mat

#1500-00 42" x 22"



#1500-20

Feline Scale

- · Accurate & reliable readings
- · Easy to operate HOLD feature
- · Compact & light weight
- · Internal battery or AC powered
- 44 pounds / 20 kilograms
- · Includes battery or AC power pack

#1500-20 20" x 12" x 2 1/2"

#1500-30

Equine Scale

- Capacity is 3,000 pounds
- The scale is large enough to avoid making animals skittish while weighing, low profile
- Hold function for single user weighing, easy to use hold feature enables the scale to capture the weight and retain while you tend to the animal
- · Protective matting for ease on animal hooves
- Battery operation for remote locations, full function with no AC power attached. AC adapter is included for charging or full time operations. Detachable indicator for battery charging
- Includes AC adapter

#1500-30 40" W x 80" L x 4" H



CORNER GUARDS & KICK PLATES

You've spent time and money creating your dream clinic. Protect vulnerable areas like corners and doors that are the first to show signs of age with stainless steel trim pieces, corner guards and kick plates. These pieces not only protect your investment, they can help your facility look high-end and professional.

One of the best qualities Tristar Metals has is their ability to customize in any situation. I think we have one of everything they make, and we know it's built to last!

- Dr. Sheila



Stainless Steel Corner Guards

#4890-CG 2" L x 2" W x 48" H x 90 Degree Corner Guard #7290-CG 2" L x 2" W x 72" H x 90 Degree Corner Guard #4845-CG 2" L x 2" W x 48" H x 45 Degree Corner Guard #7245-CG 2" L x 2" W x 72" H x 45 Degree Corner Guard



Kick Plate

 36"W x 30"H Stainless Steel Door Kick Plate (custom sizes available)

#KP-3630 36"W x 30"H



LIMITED WARRANTY

TriStar Metals, Inc. warrants to the initial purchaser only, of products manufactured by TriStar Metals, Inc. that such products are free from defects in materials or labor for a period of one year. Only those stainless steel products manufactured by TriStar Metals, Inc. are covered under warranty. Products sold but not manufactured by TriStar will be covered by the products' manufacturer's warranty.

The warranty period shall run one year from the date of delivery to the customer. If within the applicable warranty period a product proves to be defective as described herein, TriStar Metals, Inc. will repair or re-place the product, at TriStar Metals, Inc. sole discretion, conditional upon: (1) customers written notice of the defect within 30 days after discovery of defect; (2) evidence of customers status as initial purchaser; and (3) details of defect. Upon receipt of all of the above, TriStar Metals, Inc. will advise customer whether TriStar Metals, Inc. plans to repair or replace defective product. Any alterations or modifications provided by 3rd party without TriStar's written permission will void the Limited Warranty.

In the event TriStar Metals, Inc. product(s) were purchased via an authorized TriStar Metals, Inc. distributor, the authorized distributor shall not be recognized as the initial purchaser. In this instance the "end user" will be recognized as the initial purchaser. In addition, all warranty issues shall be conducted via an authorized distributor.

TriStar Metals, Inc. obligation is solely limited to repair or replacement of defective product and under no circumstances shall TriStar Metals, Inc. be liable for transportation to or from TriStar Metals, Inc. facility or any other expense associated with this limited warranty.

This warranty does not apply to normal wear and tear, improper or insufficient maintenance, routine maintenance (such as need to replace sealant), or damage caused by accident, negligence, improper operation or the use of corrosive agents.

LIMITATION OF LIABILITY

TriStar Metals, Inc. shall not be held liable, under any circumstances, to purchaser or any entity for damages based on lost sales or profits, delay, product failure, work stoppage or any other damages arising out of breach of warranty, breach of contract, negligence, or otherwise.

TriStar Metals, Inc. liability for any and all losses and damages shall not exceed the original purchase price of the product upon which liability if established.

TriStar Metals, Inc. reserves the right to modify products, dimensions or the Limited Warranty at any time without notice.

*A note about pricing: Our catalogs are printed annually. The cost of stainless steel fluctuates monthly. We can offer the best pricing by providing individual estimates for our customers based on their respective equipment needs.